



U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

RECEIVED

APR 24 2003

GROUP 3600

3681

Ex officio
J. Nas
4/30/03

**AMENDMENT TRANSMITTAL LETTER
AND REQUEST FOR EXTENSION OF
TIME PURSUANT TO 37 C.F.R. § 1.136(a)**

Docket Number
10537/185

Application Number
10/000,431

Filing Date
November 30, 2001

Examiner
WILLIAMS, Eric M.

Art Unit
3681

Invention Title

**GEAR-JUMPING-PROOF POSITIVE-LOCKING
CLUTCH**

Inventor(s)

Hans BÜRGER

Address to:
Commissioner for Patents
Washington D.C. 20231

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:
Commissioner for Patents, Washington, D.C. 20231 on

Dated: April 17, 2003 Reg. No. 22,490

Signature:

Richard L. Mayer

R. L. Mayer
R. L. Mayer 42,490

Transmitted herewith is an Amendment for entry in the above-identified application

1. Applicant respectfully requests a **one-month extension of time** for responding to the Office Action mailed January 15, 2003, for which a three-month response period expiring on April 15, 2003 was set. The one-month extended period for response expires on May 15, 2003. The Commissioner is hereby authorized to charge payment of the 37 C.F.R. § 1.136(a) extension fee of **\$110.00** to the deposit account of **Kenyon & Kenyon**, deposit account number 11-0600.
2. The filing fee has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT NUMBER EXTRA	RATE (\$)	FEE (\$)
TOTAL CLAIMS	21	minus	20	1	18.00	18.00
INDEPENDENT CLAIMS	3	minus	3	0	84.00	0.00
MULTIPLE DEPENDENT CLAIM ADDED					280.00	
				TOTAL	\$18.00	

3. Please charge the required additional claims fee of \$18.00 and the one-month extension of time fee of \$110.00 to the deposit account of **Kenyon & Kenyon**, deposit account number 11-0600.

04/23/2003 NMOHAKH1 00000099 110600 10000431

02 FC:1251 110.00 CH

4. The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to the deposit account of **Kenyon & Kenyon**, deposit account number **11-0600**:
 - A. Any additional filing fees required under 37 C.F.R. § 1.16;
 - B. Any additional patent application processing fees under 37 C.F.R. § 1.17;
 - C. Any additional document supply fees under 37 C.F.R. § 1.19;
 - D. Any additional post-patent processing fees under 37 C.F.R. § 1.20; or
 - E. Any additional miscellaneous fees under 37 C.F.R. § 1.21.
5. A duplicate copy of this letter is enclosed.

Dated: Apr. 17, 2003

By: Richard L. Mayer
Richard L. Mayer
Reg. No. 22,490
R, No
42,194

One Broadway
New York, NY 10004
(212) 425-7200
CUSTOMER NO. 26646



[10537/185]

#8/4
3 Nasr
4/3/03

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Hans Buerger

Serial No.: 10/000,431

Group Art Unit: 3681

Filing Date: November 30, 2001

Examiner: Eric M.
Williams

For: GEAR-JUMPING-PROOF
POSITIVE-LOCKING CLUTCH

Address to:
Commissioner for Patents
Washington D.C. 20231

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231, on

Date: Apr. 17, 2003 Reg. No. 22,490

Signature: Richard L. Mayer

Richard L. Mayer

17/04/03

42,194

AMENDMENT

S I R:

In response to the Office Action dated January 15, 2003, kindly amend the above-identified application as set forth below.

RECEIVED

APR 24 2003

GROUP 3600

IN THE CLAIMS:

Please amend claims 1, 5 and 7, without prejudice, as follows:

1. (Amended) A gear-jumping-proof positive-locking clutch configured to connect a motor-vehicle transmission shaft to a transmission component mounted coaxially and rotatably with respect to the transmission shaft, comprising:

at least one axially displaceable locking roller element; and

an axially displaceable sliding sleeve configured to support the at least one locking roller element;

wherein the at least one locking roller element is displaceable into a radial locking recess located in at least one axial end of a transmission shaft shoulder in accordance with a radial force component with axial displacement of the